Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

| 7 | | | |
|---|--|--|--|
| | | | |
| | | | |


F. M. CRAYTON & SONS Ashville BILTMORE STATION N. C.

NATIVE HARDY TREES, SHRUBS PERENNIALS AND FERNS



Good Strong Plants --Ready for Landscape
and Nursery Planting

« Give Us A Trial Order» « We Can Please You »



FOR



TREES AND SHRUBS

| pe | r 100 | 1000 |
|---------------------------------|---------------------|--------|
| Abies Fraseri 4-8 in. | | |
| Acer leucoderme 1-3 ft. | 3.00 | 15.00 |
| Acre Pennsylvanicum 1-3 ft. | 3.00 | 25.00 |
| Acer Rubrum 1-3 ft. | 2.00 | 15.00 |
| Acer Saccharum 1-3 ft. | 2.00 | 15.00 |
| Aesculus octandra 1-3 ft. | 5.00 | 45.00 |
| Aesculus pavia 1-3 ft. | 5.00 | 45.00 |
| Amelanchier Canadensis 1-3 ft. | | 15.00 |
| Amelanchier Botryapium | . 2.00 | 10.00 |
| 4 6 4 | 2.00 | 15.00 |
| Amelenchier spicata 1-3 ft. | 3 09 | 25.00 |
| American fractions 19 ft | $\frac{3.00}{2.00}$ | 15.00 |
| Amorpha fruticosa 1-3 ft. | $\frac{2.00}{2.00}$ | 15.00 |
| Amorpha Tennesseensis 1-3 ft. | | |
| Aristolochia sipho 2 yr. | 3.00 | 25.00 |
| Aronia arbutifolia 1-3 ft. | 2.00 | 15.00 |
| Aronia nigra 1-2 ft. | 2.00 | 15.00 |
| Azalea arborescens 6-18 in. | 4.00 | 35.00 |
| Azalea arborescens 1-2 ft. bld. | 25.00 | 150.07 |
| Azalea arborescens 2-4 ft. bld. | 50.00 | 400.00 |
| Azalea Atlantica 1-3 ft. bld. | 50.00 | 400.00 |
| Azalea Canescens 6-12 in. | 3.00 | 25.00 |
| Azalea Canescens 1-2 ft. boled | 25.00 | 159.00 |
| Azalea Canescens 2-4 ft. bld. | 59.00 | 400.00 |
| Azalea lutea 6-12 in. | 3.00 | 25.00 |
| Azalea lutea 1-2 ft. bld. | 25.00 | 150.00 |
| Azalea nudiflora 6-12 in. | 3.00 | 25.00 |
| Azalea nudiflora 1-2 ft. bld. | 25.00 | 150.00 |
| Azalea nudiflora 2-4 ft. bld. | 50.00 | 400.00 |
| Azalea Vaseyi 1-3 ft. bld. | $_{-75.00}$ | 500.00 |
| Azalea viscosa 6-12 in. | | 25.00 |
| Azalea viscosa 1-3 ft. bld. | | 400.00 |
| Baccharis halimifolia _ 1-3 ft. | | 15.00 |
| Betula lenta 1-3 ft. | 2.00 | 15.00 |
| Betula nigra 1-3 ft. | | 15.00 |
| Betula lutea 1-3 ft. | | 15.00 |
| Bignonia crucigera 2 yr. | 3.00 | 25.00 |
| Butneria fertilis 1-3 ft. | 2.00 | 15.00 |
| Ceanothus Americanum 1-2 ft. | | |
| Celastrus articulata 1-3 ft. | 2.00 | 15.00 |
| Celastrus scandens 1-3 ft. | 2.00 | 15.00 |
| Cercis Canandensis 1-3 ft. | $\frac{2.00}{2.00}$ | 15.00 |
| Clethra acuminata 1-3 ft. | | 15.00 |
| Clethra alnifolia 1-3 ft. | 2.00 | 15.00 |
| Clinopodium Carolinianum 1 ft. | 3.00 | 25.00 |
| Clinopodium coccineum 1-2 ft. | 4.00 | 35.00 |
| Clinopodium dentatum 4-8 in. | $\frac{4.00}{4.00}$ | 35.00 |
| Comptonia perengrina _ 1-2 ft. | 3.00 | 25.00 |
| Coryla Americana 1-3 ft. | 2.00 | 15.00 |
| Corylus rostrata 1-3 ft. | $\frac{2.00}{2.00}$ | 15.00 |
| Cyrilla racemiflora 1-3 ft. | | 25.00 |
| Dendrium buxifolium _ 3-6 in. | $\frac{3.00}{4.00}$ | 35.00 |
| Dendrium buxifolium | 4.00 | 55.00 |
| 6-12 in. bld. | 25.00 | 150.00 |
| Dendrium Hugeri 4-6 in. | | |
| Dendrium riugen 4-0 III. | 4.00 | 00.00 |
| | | |

| | | per 100 | 1000 |
|----|----------------------------------|---------|-------------|
| | Dendrium Hugeri 6-12 in. bld. | 25.00 | 150.00 |
| | Dendrium prostratum _ 3-6 in. | 4.00 | 25.00 |
| | Dendrium prostratum | | |
| | 6-8 in. bld. | 25.00 | 150.00 |
| | Diervilla trifida 1-2 ft. | 2.00 | 15.00 |
| > | Elliottia racemosa 1-3 ft. | 50.00 | 400.00 |
| | Euonymus Americanus 1-3 ft. | 2.00 | 15.00 |
| | Euonymus obovatus 1-2 ft. | $2\ 00$ | 15.07 |
| | Fagus Americana 1-3 ft. | 3.00 | 25.00 |
| | Fothergillia Carolina _ 1-2 ft. | 4.00 | 35.00 |
| | Fothergillia major 1-3 ft. | 4.00 | 35 00 |
| | Fothergillia parvifolia 6-12 in. | 4.00 | 35.00 |
| | Gaultheria procumbens | 2.00 | 15.00 |
| | Gaylussacia brachycera 4-8- in | 10.00 | 75.00 |
| | Gelsemium sempervirens 2 yr. | 2.00 | 15.00 |
| | Halesia Carolinum 1-3 ft. | 3.00 | 25.00 |
| | Halesia dipterum 1-3 ft. | 4.00 | 35.00 |
| | Hydrangea arborescens 1-2 ft. | 2.00 | 15.00 |
| | Hydrangea quercifolia 1-3 ft. | 4.00 | $35 \cap 0$ |
| | Hyrdangea radiata 1-3 ft. | 2.00 | 15.00 |
| | Hypericum aureum _ 1-2 ft. | 2.00 | 15.00 |
| | Hyperisum Buckleyi 4-8 in. | $4\ 00$ | 35.00 |
| | Hypericum densiflorum 1-2 ft. | 2.00 | 15.00 |
| | Hypericum nudiflorum 1-2 ft. | 2.00 | 15.00 |
| | Hypericum prolificum 1-2 ft. | 2.00 - | 15.00 |
| | Ilex Cassine 1-2 ft. | 4.00 | 35.00 |
| | Ilex glabra 1-2 ft. | 4.00 | 35.00 |
| | Hex laevigata 1-2 ft. | 4.00 | 35.00 |
| | Ilex lucida 1-2 ft. | 4.00 | 35.00 |
| | Ilex myrtifolia 1-2 ft. | 4.00 | 35.00 |
| | Ilex opaca 6-18 in. | | 25.00 |
| | Ilex verticillata 1-3 ft. | , | 25.0 |
| | Ilex vomitoria 1-2 ft. | 4.07 | 35,00 |
| | Illicium Floridanum 1-3 ff. | 4.00 | 35,00 |
| | Juniperus Virginiana 6-12 in. | 2.00 | 15.09 |
| | Kalamia angustifolia 4-8 in. | 2.00 | 15.00 |
| | Kalmia angustifolia | | |
| ٠. | 1-2 ft. bld. | | 150 00 |
| | Kalamia cuneata 1-3 ft. bld. | | |
| | Kalamia latifolia 4-8 in. | 2.00 | 15.00 |
| | Kalamia latifolia 1-2 ft bld. | 25.00 | 150.0) |
| | Kalamia latifolia 2-4 ft. bld. | 50.00 | 400.00 |
| | Leucothoe axillaris 1-2 ft. | | |
| | Leucothoe Catesbaei 4-8 in. | 3.00 | 25.09 |
| | Leucothoe Catesbaei | | 100.00 |
| | 1-3 ft. bld. | | |
| | Leucothoe recurva 1-3 ft. | 2.00 | 15.00 |
| | Lonicera Japonica (Haliana) | 0.00 | 4 2 00 |
| | yr. | | 15.00 |
| | Lonicera flava 2 yr. | 3.00 | |
| | Lonicera Heckrotti 2 yr. | | 35.00 |
| | Lonicera sempervirens _ 2 yr. | | |
| | Magnolia acuminatum 1-3 ft. | 3.00 | 25.00 |
| | Magnolia Ashei 1-3 ft. | 50.00 | |
| | Magnolia Fraseri 1-3 ft. | | 35.00 |
| | Magnolia Glauca 1-3 ft. | 0.00 | 45.00 |
| | | | |

| | • | nov 100 | 1000 |
|---|--|---------------------|----------|
| | Magnalia magnaphylla 19 ft | per 100 | |
| | Magnolia macrophylla 1-3 ft. | 5.00 | 45.00 |
| | Osmanthus Americana 1-3 ft. | 4.00 | 35.00 |
| | Oxydendron arboreum 6-12 in. | 2.00 | 15.00 |
| | Oxydendron arboreum 2-4 ft. | 3.00 | 25.00 |
| | Pachystima Canbyi 4-8 in. | 5.00 | 45.00 |
| , | Pieris floribunda 3-6 in. | 2.00 | 15.00 |
| | Pieris floribunda 1-2 ft. bld. | 75.00 | 500.00 |
| | Pinus strobus 6-8 in. | 2.00 | 15.00 |
| | Platanus occidentalis _ 1-3 ft. | 3.00 | 25.00 |
| | | | |
| | | 2.00 | 15.00 |
| | Prunus serotina 1-3 ft. | 2.00 | 15.00 |
| | Quercus alba 6-18 in. | 2.00 | 15.00 |
| | Quercus rubra 6-18 in. | 2.00 | 15.00 |
| | Quercus coccinea 6-18 in. | 2.00 | 15.00 |
| | Rhamnus Caroliniana _ 1-3 ft. | 2.00 | 15.00 |
| | Rhus aromatica 1-3 ft. | 3.00 | 25.00 |
| | Rhus copallina 1-3 ft. | 2.00 | 15.00 |
| | Rhús glabra 1-3 ft. | 2.00 | 15.00 |
| | Rhus hirta 1-3 ft. | | 15.00 |
| | Rhododendren Caroliniana | 2.00 | 10.00 |
| | 4-8 in. | 3.00 | 25,00 |
| | Dhododondwan Cavaliniana | 5.00 | 40.00 |
| | Rhedodendren Caroliniana | 95.00 | . 150.00 |
| | 1-2 ft. bld. | 25.00 | 150,00 |
| | Rhedodendren Caroliniana | | |
| | | 50.00 | 400.00 |
| | Rhododendren Catawbiense | | |
| | 3-8 in. | 4.00 | 35.00 |
| | Rhododendren Catawbiense | | |
| | 1-3 ft. bld. | 75.00 | 500.00 |
| | Rhododendren Maximum | 19.00 | 000.00 |
| | 4-8 in. | 2.00 | 15.00 |
| | Dhadadandran Marinara | 2.00 | 19.00 |
| | Rhododendren Maximum | 95.00 | 150.00 |
| | 1-2 ft. bld. | 25.00 | 150.00 |
| | Rhododendren Maximum | F 0.00 | 1140000 |
| | 2-4 ft. bld. | 50.00 | 400.00 |
| | Rhododendren Maximum | | e d n |
| | 5-6 ft. hld. | 200.00 | • |
| | Rosa Carolina 1-2 ft. | 2.00 | 15.00 |
| | Rosa humillis 1-2 ft. | 2.00 | 15.00 |
| | Salix humillis 1-3 ft. | 2.00 | 15.00 |
| | Salix nigra 1-3 ft. Salix sericea 1-3 ft. Salix tristis 6-18 in. | 2.00 | 15.07 |
| | Salix sericea / 1-3 ft | 2.00 | 15.00 |
| | Salix tristic 6-18 in | 2.00 | 15.00 |
| | Stuartia malacodendron 1-3 ft. | 5.00 | 45.07 |
| | Stuartia nonte granum 19 ft | 5.00 | |
| | Stuartia pentagynum 1-3 ft. | 5.00 | 45.00 |
| | Symphoricarpos vulgaris 1-3 ft. | | 15 00 - |
| | Tecoma radicans 1-3 ft. | | 25.00 |
| | Tsuga Canadensis 4-8 in. | 2.00 | 15.00 |
| | Tsuga Canadensis 6-18 in. | 3.00 | 25.00 |
| | Tsuga Caroliniana 3-6 in. | 2.00 | 15.00 |
| | Tsuga Caroliniana 6-18 in. | 3.00 | 25.00 |
| | | 2.00 | 15.00 |
| | | $\frac{2.00}{4.00}$ | 35.00 |
| | Vaccinium Myrsinites 1-3 ft. | | 25.00 |
| | Vaccinium pallidum 1-3 ft. | 3.00 | |
| | Viurnum acerifolium 1-3 ft. | $\frac{3.00}{2.00}$ | |
| | viumum acemonum 1-5 It. | 2.00 | 19.00 |
| | | | |

| | | | | per 100 | 1000 |
|----------|---------------|-------|-----|----------------|---------------|
| Viburnum | alnifolium _ | 1-3 | ft. | 3.00 | 25.00 |
| Viburnum | cassinoides _ | 1-3 | ft. | | 15.00 |
| | dentatum | | | • | |
| | nudum | | | | 15.00 |
| | prunifolium | | | 2.00° | 15.00 |
| | prunifolium | | ft. | 3.00 | 25.0J |
| Viburnum | rufotomentos | um | • | | 441 |
| | · | 1 - 3 | ft. | 3.00 | $\pm 25.00\%$ |

HARDY PERENNIALS

| | per | 100 | 10 00 |
|--|-------|-------|-------------------|
| Aconitum uncinatum | | | |
| Actaea alba | | | $-25.0 J_{\odot}$ |
| Actaea rubra | | -3.00 | |
| Acorus Calamus | | 2.00 | 15.00 |
| Agave Virginica | · | 2.00 | 15.00 |
| Aletris farinosa | | 2.00 | 15.00 |
| Allium Allengheniense | | ್ರ.೧೧ | 25.00 |
| Allium cernuum | *2 | 2.00 | 15.00 |
| Amsonia Amsonia | | 3.00 | -25.00 |
| Arisaema triphyllum | | 3.00 | 25.00 |
| Aruncus Aruncus | | 2.00 | 15.00 |
| Asarum arifolium | | 2.00 | 15.05 |
| Asarum Canadense | | 2.00 | 15.00 |
| Asarum Virginica | | 2.00 | 15.00 |
| Asarum VirginicaAplectrum spicatum | | 3.00 | 25.00 |
| Asclepias incarnata | | 2.00 | 15.00 |
| Asclepias tuberosa | | 3.00 | 25.00 |
| Aster concolor | | 2.00 | 15.00 |
| Aster Curtisii | | 2.00 | 15.00 |
| Atser gracilis | | 2.00 | 15.00 |
| Astilbe decandra | | 2.00 | 15.00 |
| Baptisia australis | | | 25.00 |
| Baptisia tinctoria | | 2.00 | 15.00 |
| Caltha palustris | | 3.00 | 25.00 |
| Campanula divaricta | | 2.00 | 15.00 |
| Caulophyllum thalictroides - | £ 15. | 2.00 | 15.00 |
| Chamaelirum luteum | | 2.00 | 15.00 |
| Chelone glabra | | 2.00 | 15.09 |
| Chelone glabra Chelone Lyonii Chrysogonum Virginianum | | 3.00 | 25.00 |
| Chrysogonum Virginianum | y | 2.00 | 15.09 |
| Claytonia Virginica | | 3.00 | 25.00 |
| Clematis coccinea | | 5.00 | 45.00 |
| Glematis paniculata | | 3.00 | 25.00 |
| Clematis viorna | | 3.00 | 25.00 |
| Clematis viorna Clematis ovata Clematis Virginiana | | 3.00 | 25.00 |
| Clematis Virginiana | | 2.00 | 15 00 |
| Clintonia horealis | | | 25.00 |
| Clintonia borealisClintonia umbrellulata | | 3.00 | 25.00 |
| Convallaria maialis | , . | 3.00 | 25.00 |
| Convallaria maialis Coreopsis Grandiflora | | 2:00 | 15.00 |
| Cracca Virginiana | | 2.00 | |
| Cracca VirginianaCuthbertia graminea | | 3.00 | 25 01 |
| Cuthhertia rosea | | 3.00 | 25.00 |
| Cuthbertia rosea Cypripedium acaule | | 5.00 | 45.00 |
| Cypripedium hirsutum | | 5.00 | 45.00 |
| Gyptipodidii iiibdudiii | | | |

| | per 100 | 1000 |
|---|--|---|
| Cypripedium parviflorum | | 45.00 |
| Cypripedium spectabile | | 75.00 |
| Delphinium urceolatum | | 35.00 |
| Delphinium tricorne | | 25.00 |
| Dionaeaccae muscipula | | 35.00 |
| Disporum lanuginosum | | 15.00 |
| Disporum maculatum | | 25.00 |
| Dodecatheon meadia | 3.00 | 25.00 |
| Epigaea repens | 2.00 | 15.00 |
| Equisetum hyemale | 2.00 | 15.00 |
| Erythronium Americanum | 3.00 | 25.00 |
| Eupatorium ageratoides | | 15.00 |
| Eupatorium coelestinum | | 35.00 |
| Eupatorium purpurem | 2.00 | 15.00 |
| Euphorbia corollata | | 15.00 |
| Galax aphylla | 2.00 | 15.00 |
| Gaultheria procumbens | 2.00 | 15.00 |
| Gentiana Andrewsii | | 35.00 |
| Gentiana Elliottii | 4.00 | 35.00 |
| Gentiana villosa | | 25.00 |
| Geranum maculatum | | 15.00 |
| Helenum autumnale | | 15.00 |
| Helianthus angustifolium | | 15.00 |
| Helonias bullata | | 35.00 |
| Hepatica acuta | | 15.00 |
| Hepatica triloba Hvmenocallis occidentalis | 2.00 | 15.00 |
| Houstonia coerulea | | $\begin{array}{c} 45.00 \\ 15.00 \end{array}$ |
| Houstonia serpyllifolia | 2.00 | 15.00 15.00 |
| Iris Caroliniana | 2.00 | 15.00 |
| Iris cristata | | 15.00 |
| Iris Alba | 5 00 | 45.00 |
| Iris verna | | 15.00 |
| Iris versicolor | 2.00 | 15.00 |
| Jeffersonia diphylla | 3.00 | 25.00 |
| Lacinaria graminifolia | 2.00 | 15.00 |
| Lacinaria scariosa | | 15.00 |
| Lacinaria spicata | 2.00 | 15.00 |
| Lilium Carolinianum | | 45.00 |
| Lilium Grayi | 15.00 | iúü.ú0 |
| Lilium superbum | 5.00 | 45.00 |
| Lilium tigrinum | 5.00 | 45.00 |
| Lobelia cardinalis | 3.00 | 25.00 |
| Lupinus perennis | 4.00 | 35.00 |
| Lysimachia Frasheri | | 35.00 |
| Lysimachia nummularia | 2.00 | 15.00 |
| Marshallia Grandiflora | 4.00 | 35.00 |
| Melanthium latifolium | 2.00 | 15.00 |
| Medeola Virginiana | | 35.00 |
| Mertensia Virginica | | 35.00 |
| Mitella diphylla | | 25.00 |
| Monarda fistulosa | | 15.00 |
| Monarda didvma | $\begin{array}{ccc} -2.00 \\ 2.00 \end{array}$ | 15.00 |
| Myosotia palustris | 2.00 | $15.00 \\ 15.00$ |
| Oakesia puberulaOakesia sesilifolia | | 15.00 |
| ounceia sesiniona | 2.00 | ¥ 0.00 |
| | | |

| | 400 | 4000 |
|---------------------------------------|-------------------------|---|
| 0 | 100 | 1000 |
| Opuntia vulgaris | 2.00 | 15.00 |
| Orchis spectabilis | 4.00 | 35.00 |
| Pachysandra procumbens | 4.00 | 35.00 |
| Parnassia grandifolia | $\frac{4.00}{2.00}$ | $\begin{array}{c} 35.00 \\ 15.00 \end{array}$ |
| Passiflora incarnata Passiflora lutea | 4.00 | 35.00 |
| Pentstemon hirsutus | 2.00 | $\begin{array}{c} 35.00 \\ 15.00 \end{array}$ |
| Phlox amoena | $\frac{2.00}{2.00}$ | $15.00 \\ 15.00$ |
| Phlox Carolina (Ovata) | $\frac{2.00}{2.00}$ | $15.00 \\ 15.00$ |
| Phlox divaricata | 3.00 | 25.00 |
| Phlox glaberrium | 2.00 | 15.00 |
| Phlox subulata | 2.00 | 15.00 |
| Physostegia Virginiana | 2.00 | 15.00 |
| Podophyllum peltatum | 2.00 | 15.00 |
| Polygonatum biflorum | $\frac{2.00}{2.00}$ | 15.00 |
| Polygonatum commutatum | 2.00 | 15.00 |
| Porteranthus trifloliatus | 2.00 | 15.00 |
| Pvrola rotundifolia | 3.00 | 25.00 |
| Pyxidanthera barbulata | 4.00 | 35.00 |
| Pyxidanthera brevifolia | 4.00 | 35.00 |
| Sanguinaria Canadensis | 3.00 | 25.00 |
| Sarracenia flava | 3.00 | 25.00 |
| Sarracenia purpurea | 2.00 | 15.00 |
| Sarracenia rubrum | 2.00 | 15.00 |
| Sedum Nevii | 5.00 | 45.00 |
| Sedum Telephioides | 2.00 | 15.00 |
| Sedum ternatum | 2.00 | 15.00 |
| Shortia galacifolia | 4.00 | 30.00 |
| Silena Caroliniana | 4.00 | 35.00 |
| Silena stellata | 2.00 | 15.00 |
| Silena Virginica | 3.00 | 25.00 |
| Solidago Curtissii | 2.00 | 15.00 |
| Solidago odora | 2.00 | 15.00 |
| Stenanthum robustum | 4.00 | 35.00 |
| Streptopus amplexifolius | $\frac{2.00}{3.00}$ | $\begin{array}{c} 15.00 \\ 25.00 \end{array}$ |
| Streptopus roseus Thalictrum clavatum | $\frac{3.00}{2.00}$ | $\frac{25.00}{15.00}$ |
| Thalictrum dioicum | $\frac{2.00}{2.00}$ | $15.00 \\ 15.00$ |
| Thalictrum purpurascens | $\frac{2.00}{2.00}$ | $15.00 \\ 15.00$ |
| Tiarella cordifolia | 2.00 | 15.00 |
| Tradescantia montana | 2.00 | 15.00 |
| Tradescantia Virginiana | 2.00 | 15.00 |
| Trillium erectum | $\frac{2.00}{2.00}$ | 15.00 |
| Trillium grandiflorum | 2.00 | 15.00 |
| Trillium Hugeri | $\frac{2.00}{2.00}$ | 15.00 |
| Trillium luteum | $\frac{2.00}{2.00}$ | 15.00 |
| Trillium sessile | 2.00 | 15.00 |
| Trillium undulatum | $\bar{3.00}$ | 25.00 |
| Ulmaria rubra | 3.00 | 15.00 |
| Uvularia grandiflora | 3.00 | 25.00 |
| Uvalaria perfoliatum | 2.00 | 15.00 |
| Unifolium Ganadense | 2.00 | 15.00 |
| Vagnera racemosa | 2.00 | 15.00 |
| Vagnera stellata | 2.00 | 15.00 |
| Vernonica Noveboracensis | 2.00 | 15.00 |
| Veronica officinalis | 2.00 | 15.00 |
| | | |

| ` | | | |
|--------------------------------------|----------|---------------------|------------------|
| | per | 100 | 1000 |
| Vinca minor | | 2.00 | 15.00 |
| Vinca minor Viola Canadensis | | 2.00 | $15.00 \\ 15.00$ |
| | | 2.00 | 15.00 15.00 |
| Viola pedata Viola pedata bicolor | | 5.00 | 45.00 |
| ~ . | | 2.00 | 15.00 |
| | | | |
| Viola Walteri | | 3.00 | 25.00 |
| Xerophyllum asphodeloides | | 3.00 | 25.00 |
| Zygadenuns glaberrimus | | 3.00 | 25.00 |
| HARDY FER | NS | | |
| | | 400 | 4000 |
| A 1' / G '11 X7 ' | pei | | 1000 |
| Adiantum Capillus-Veneris | | 4.00 | 35.00 |
| Adiantum pedatum | | 2.00 | 15.00 |
| Asplenium acrostichoides | | 2.00 | 15.00 |
| Asplenium Bradleyi | | 4.00 | 35.00 |
| Asplenium Felix-Ioeminum | | 2.00 | 15.00 |
| Asplenium montanum | | 4.00 | 35.00 |
| Asplenium parvulum | | 3.00 | 25.00 |
| Asplenium platyneuron | | 2.00 | 15.00 |
| Asplenium Kuta-muraria | | 3.00 | 25.00 |
| Asplenium Trichomanes | | 3.00 | 25.00 |
| Botrychium ternatum | | 2.00 | 15.00 |
| Botrychium Virginianum | | 2.00 | 15.00 |
| Cheilanthes Alabamensis | | 3.00 | 25.00 |
| Cheilanthes lanosa | _ | 2.00 | 15.00 |
| Cheilanthes tomentosa | | 2.00 | 15.00 |
| Camptosorus rhizophyllus _ | | 3.00 | 25.00 |
| Dennstaedtia punctilobula _ | | 2.00 | 15.00 |
| Dryopteris acrostichoides | | 2.00 | 15.00 |
| Dryopteris cristata | | 4.00 | 35.00 |
| Dryopteris Filix-mas | | 2.00 | 15.00 |
| Dryopteris Goldieana | | 3.00 | 25.00 |
| Dryopteris marginalis | | 2.00 | 15.00 |
| Dryopteris noveboracensis _ | | 2.00 | 15.00 |
| Dryopteris spinulosa | | 2.00 | 15.00 |
| Filix bulbifera | | 2.00 | 15.00 |
| Filix fragillis | | 2.00 | 15.00 |
| Lygodium palmatum | | 3.00 | 25.00 |
| Onoclea sensibilis | | 2.00 | 15.00 |
| Onoclea Struthiopteris | | $\frac{2.00}{2.00}$ | 15.00 |
| | | $\frac{2.00}{4.00}$ | 35.00 |
| Osmunda cinnamomea | | | |
| Osmunda Claytoniana | | 4.00 | 35.00 |
| Osmunda regalis | | 4.00 | 35.00 |
| Pellacea atropurpurea | | 3.00 | 25.00 |
| Pellaea Glabrata | | 4.00 | 35.00 |
| Phegopteris hexagonoptera | | 2.00 | 15.00 |
| Polypodium polypodioides _ | | 2.00 | 15.00 |
| Polypodium vulgaris | | 2.00 | 15.00 |
| Pteris aquilina | | 2.00 | 15.00 |
| Woodsia ilvensis | | | 35.00 |
| Woodsia sconulina | | 4.00 | 35.00 |

· Woodsia scopulina ____

Woodwardia Virginica _____

4.00

2.00

35.00 35.00

15.00